

The Bays- WTP Discharge Summary- September 2024

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	18	Not visible
1/09/2024	C-WTP	6.9	0.7	N
2/09/2024	C-WTP	7	0.9	N
3/09/2024	C-WTP	7	1	N
4/09/2024	C-WTP	7	0.9	N
5/09/2024	C-WTP	7.1	1.9	N
6/09/2024	C-WTP	6.8	1.6	N
7/09/2024	C-WTP	7	1.5	N
8/09/2024	C-WTP	7	1.5	N
9/09/2024	C-WTP	7.2	1.6	N
10/09/2024	C-WTP	7	1.3	N
11/09/2024	C-WTP	7.1	1.9	N
12/09/2024	C-WTP	7	2	N
13/09/2024	C-WTP	7	2.5	N
14/09/2024	C-WTP	7	2.9	N
15/09/2024	C-WTP	7	3.3	N
16/09/2024	C-WTP	7.1	2	N
17/09/2024	C-WTP	7.1	1.9	N
18/09/2024	C-WTP	7	2.7	N
19/09/2024	C-WTP	7.1	1.3	N
20/09/2024	C-WTP	7.1	1.7	N
21/09/2024	C-WTP	6.9	1.3	N
22/09/2024	C-WTP	7	0.6	N
23/09/2024	C-WTP	7	0.7	N
24/09/2024	C-WTP	7	0.8	N
25/09/2024	C-WTP	7.1	0.9	N
26/09/2024	C-WTP	7	1.8	N
27/09/2024	C-WTP	7.1	1.3	N
28/09/2024	C-WTP	7	1.1	N
29/09/2024	C-WTP	6.9	2.8	N
30/09/2024	C-WTP	7	2.6	N