

## The Bays- WTP Discharge Summary- November 2023

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	18	Not visible
1/11/2023	C-WTP	6.9	2.5	N
2/11/2023	C-WTP	7	2.4	N
3/11/2023	C-WTP	6.8	2.3	N
4/11/2023	C-WTP	7.1	6.4	N
5/11/2023	C-WTP	7.3	2.5	N
6/11/2023	C-WTP	7	2.4	N
7/11/2023	C-WTP	7.1	2.4	N
8/11/2023	C-WTP	7.1	2.4	N
9/11/2023	C-WTP	7	2.7	N
10/11/2023	C-WTP	7	3.5	N
11/11/2023	C-WTP	6.9	3.1	N
12/11/2023	C-WTP	6.8	4.3	N
13/11/2023	C-WTP	7	1.6	N
14/11/2023	C-WTP	7.1	0.6	N
15/11/2023	C-WTP	7	0.7	N
16/11/2023	C-WTP	7.1	3.8	N
17/11/2023	C-WTP	7.2	4.7	N
18/11/2023	C-WTP	7.1	2.3	N
19/11/2023	C-WTP	6.9	1.7	N
20/11/2023	C-WTP	7	1.9	N
21/11/2023	C-WTP	6.9	2.8	N
22/11/2023	C-WTP	6.9	2.6	N
23/11/2023	C-WTP	7.1	2.4	N
24/11/2023	C-WTP	6.7	2.2	N
25/11/2023	C-WTP	6.9	3.3	N
26/11/2023	C-WTP	6.7	2.4	N
27/11/2023	C-WTP	7	10.7	N
28/11/2023	C-WTP	6.9	2	N
29/11/2023	C-WTP	7	2.1	N
30/11/2023	C-WTP	6.9	4.6	N

## Sydney Olympic Park- WTP Discharge Summary-November 2023

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	14	Not visible
1/11/2023	SOP-WTP	7.4	4.2	N

2/11/2023	SOP-WTP	7.6	4.1	N
3/11/2023	SOP-WTP	7.7	4.3	N
4/11/2023	SOP-WTP	7.8	4.8	N
5/11/2023	SOP-WTP	8.1	5.3	N
6/11/2023	SOP-WTP	8.4	3.8	N
7/11/2023	SOP-WTP	8.3	2.8	N
8/11/2023	SOP-WTP	7.9	3.6	N
9/11/2023	SOP-WTP	7.8	5	N
11/11/2023	SOP-WTP	7.8	4.8	N
12/11/2023	SOP-WTP	7.8	3.4	N
13/11/2023	SOP-WTP	7.8	3.2	N
14/11/2023	SOP-WTP	8.2	3.2	N
15/11/2023	SOP-WTP	8.2	2.4	N
16/11/2023	SOP-WTP	8.1	2	N
17/11/2023	SOP-WTP	7.8	2.2	N
18/11/2023	SOP-WTP	7.8	4.4	N
19/11/2023	SOP-WTP	7.8	3.9	N
21/11/2023	SOP-WTP	7.7	3.6	N
22/11/2023	SOP-WTP	7.7	3.6	N
23/11/2023	SOP-WTP	7.9	3.6	N
24/11/2023	SOP-WTP	8.2	4.3	N
25/11/2023	SOP-WTP	8.2	5.2	N
26/11/2023	SOP-WTP	8.2	5.4	N
27/11/2023	SOP-WTP	8.1	5.4	N
28/11/2023	SOP-WTP	8.2	3.8	N
29/11/2023	SOP-WTP	8.2	4	N
30/11/2023	SOP-WTP	8.2	0.66	N

### Five Dock- WTP Discharge Summary-Novemeber 2023

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	7	Not visible
1/11/2023	FDK-WTP	7.6	0.1	N
2/11/2023	FDK-WTP	7.6	0.1	N
3/11/2023	FDK-WTP	7.6	0.1	N
4/11/2023	FDK-WTP	7.7	0.2	N
6/11/2023	FDK-WTP	7.5	0.2	N
7/11/2023	FDK-WTP	7.5	0.1	N
8/11/2023	FDK-WTP	7.5	0.1	N
9/11/2023	FDK-WTP	7.5	0.1	N
10/11/2023	FDK-WTP	7.6	0.1	N
11/11/2023	FDK-WTP	7.5	0.1	N
12/11/2023	FDK-WTP	7.6	0.1	N
13/11/2023	FDK-WTP	7.6	0.1	N

14/11/2023	FDK-WTP	7.6	0.1	N
15/11/2023	FDK-WTP	7.6	0.1	N
16/11/2023	FDK-WTP	7.6	0.1	N
17/11/2023	FDK-WTP	7.5	0.2	N
18/11/2023	FDK-WTP	7.7	0.2	N
19/11/2023	FDK-WTP	7.6	0.1	N
20/11/2023	FDK-WTP	7.7	0.1	N
21/11/2023	FDK-WTP	7.7	0.1	N
22/11/2023	FDK-WTP	7.8	0.1	N
23/11/2023	FDK-WTP	7.8	0.1	N
24/11/2023	FDK-WTP	7.8	4.3	N
25/11/2023	FDK-WTP	7.8	0.3	N
26/11/2023	FDK-WTP	7.7	0.3	N
27/11/2023	FDK-WTP	7.9	0.3	N
28/11/2023	FDK-WTP	7.9	0.3	N
29/11/2023	FDK-WTP	7.8	0.3	N
30/11/2023	FDK-WTP	7.9	0.3	N