

The Bays- WTP Discharge Summary- September 2023

| Discharge Date | Site/WTP | pH units | NTU | Oil and Grease |
|----------------|----------|----------|---------------------|----------------|
| | | Probe | Probe (correlation) | Visual |
| | | pH units | NTU | Y/N |
| | | 6.5-8.5 | 18 | Not visible |
| 1/09/2023 | C-WTP | 8.2 | 4.6 | N |
| 4/09/2023 | C-WTP | 8 | 5.1 | N |
| 5/09/2023 | C-WTP | 7.6 | 6 | N |
| 6/09/2023 | C-WTP | 7.6 | 6.3 | N |
| 7/09/2023 | C-WTP | 8 | 5.9 | N |
| 8/09/2023 | C-WTP | 7.8 | 5.1 | N |
| 11/09/2023 | C-WTP | 7.8 | 5.6 | N |
| 12/09/2023 | C-WTP | 7.6 | 6.3 | N |
| 13/09/2023 | C-WTP | 7.6 | 6.3 | N |
| 14/09/2023 | C-WTP | 8.5 | 6.3 | N |
| 15/09/2023 | C-WTP | 10.2* | 6.3 | N |
| 16/09/2023 | C-WTP | 8.8* | 6.5 | N |
| 18/09/2023 | C-WTP | 8.9* | 6.3 | N |
| 22/09/2023 | C-WTP | 9.9* | 510.8* | N |
| 23/09/2023 | C-WTP | 10.3* | 77.7* | N |
| 25/09/2023 | C-WTP | 10.3* | 244.7* | N |
| 26/09/2023 | C-WTP | 10.8* | 256.2* | N |
| 27/09/2023 | C-WTP | 11.3* | 267.7* | N |
| 28/09/2023 | C-WTP | 11.8* | 233.6* | N |
| 29/09/2023 | C-WTP | 11.7* | 48.1* | N |
| 30/09/2023 | C-WTP | 11.5* | 6.1 | N |

Sydney Olympic Park- WTP Discharge Summary-September 2023

| Discharge Date | Site/WTP | pH units | NTU | Oil and Grease |
|----------------|----------|----------|---------------------|----------------|
| | | Probe | Probe (correlation) | Visual |
| | | pH units | NTU | Y/N |
| | | 6.5-8.5 | 14 | Not visible |
| 1/09/2023 | SOP-WTP | 7.1 | 1.9 | N |
| 2/09/2023 | SOP-WTP | 7.1 | 1.9 | N |
| 3/09/2023 | SOP-WTP | 7.1 | 2 | N |
| 4/09/2023 | SOP-WTP | 7.2 | 2 | N |
| 14/09/2023 | SOP-WTP | 7.3 | 2.1 | N |
| 15/09/2023 | SOP-WTP | 7.4 | 1.2 | N |
| 16/09/2023 | SOP-WTP | 7.6 | 2.1 | N |
| 17/09/2023 | SOP-WTP | 7.6 | 2.1 | N |
| 18/09/2023 | SOP-WTP | 7.7 | 2.1 | N |
| 19/09/2023 | SOP-WTP | 7.8 | 2 | N |
| 20/09/2023 | SOP-WTP | 7.6 | 2.3 | N |
| 21/09/2023 | SOP-WTP | 7.3 | 2.6 | N |

| | | | | |
|------------|---------|-----|-----|---|
| 22/09/2023 | SOP-WTP | 7.3 | 2.8 | N |
| 23/09/2023 | SOP-WTP | 7.4 | 2.9 | N |
| 24/09/2023 | SOP-WTP | 7.4 | 3.4 | N |
| 25/09/2023 | SOP-WTP | 7.5 | 3.3 | N |
| 26/09/2023 | SOP-WTP | 7.7 | 2.3 | N |
| 27/09/2023 | SOP-WTP | 7.9 | 2.4 | N |

| | | | | |
|------------|---------|-----|-----|---|
| 29/09/2023 | SOP-WTP | 7.8 | 2.9 | N |
| 30/09/2023 | SOP-WTP | 7.7 | 3.4 | N |

Five Dock- WTP Discharge Summary-September 2023

| Discharge Date | Site/WTP | pH units | NTU | Oil and Grease |
|----------------|----------|----------|---------------------|----------------|
| | | Probe | Probe (correlation) | Visual |
| | | pH units | NTU | Y/N |
| | | 6.5-8.5 | 7 | Not visible |
| 1/09/2023 | FDK-WTP | 7.6 | 0.1 | N |
| 2/09/2023 | FDK-WTP | 7.8 | 0.2 | N |
| 3/09/2023 | FDK-WTP | 0.0 | 0 | N |
| 4/09/2023 | FDK-WTP | 7.3 | 0.1 | N |
| 5/09/2023 | FDK-WTP | 7.4 | 0.2 | N |
| 6/09/2023 | FDK-WTP | 7.5 | 0.2 | N |
| 7/09/2023 | FDK-WTP | 7.4 | 0.2 | N |
| 8/09/2023 | FDK-WTP | 7.5 | 0.2 | N |
| 9/09/2023 | FDK-WTP | 7.4 | 0.2 | N |
| 10/09/2023 | FDK-WTP | 7.8 | 0.2 | N |
| 13/09/2023 | FDK-WTP | 7.6 | 0.2 | N |
| 14/09/2023 | FDK-WTP | 7.7 | 0.1 | N |
| 15/09/2023 | FDK-WTP | 7.6 | 0.1 | N |
| 16/09/2023 | FDK-WTP | 7.7 | 0.1 | N |
| 17/09/2023 | FDK-WTP | 7.7 | 0.1 | N |
| 18/09/2023 | FDK-WTP | 7.5 | 0.1 | N |
| 19/09/2023 | FDK-WTP | 7.5 | 0.1 | N |
| 20/09/2023 | FDK-WTP | 7.4 | 0.1 | N |
| 21/09/2023 | FDK-WTP | 7.5 | 0.1 | N |
| 22/09/2023 | FDK-WTP | 7.7 | 0.1 | N |
| 23/09/2023 | FDK-WTP | 7.6 | 0.1 | N |
| 24/09/2023 | FDK-WTP | 7.7 | 0.1 | N |
| 25/09/2023 | FDK-WTP | 7.5 | 0.1 | N |
| 26/09/2023 | FDK-WTP | 7.6 | 0.1 | N |
| 28/09/2023 | FDK-WTP | 7.6 | 0.1 | N |
| 29/09/2023 | FDK-WTP | 7.6 | 0.1 | N |
| 30/09/2023 | FDK-WTP | 7.6 | 0.1 | N |