

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions
 Environment Protection Licence No: 20029
 Premise Address: 2 CENTRA PARK STREET, MACKSVILLE NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Feb-18
 Monitoring Data for the Month: Jan-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
Basin 1	16-Jan-18	15/01/2018	<65	14	<50	7.0	6.6-8.4	7.1	NV	NV	Event based	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions
 Environment Protection Licence No: 20029
 Premise Address: 2 CENTRA PARK STREET, MACKSVILLE NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Mar-18
 Monitoring Data for the Month: Feb-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND	65	ND	50	ND	6.5 - 8.5	ND	None Visible	ND	Special Frequency 1	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions
 Environment Protection Licence No: 20029
 Premise Address: 2 CENTRA PARK STREET, MACKSVILLE NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Apr-18
 Monitoring Data for the Month: Mar-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1 Basin	19-Mar-18	20/03/2018	<65	7.8	<50	3.0	6.4-8.4	7.4	None visible	None visible	Event based	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions
 Environment Protection Licence No: 20029
 Premise Address: 2 CENTRA PARK STREET, MACKSVILLE NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-May-18
 Monitoring Data for the Month: Apr-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND	ND	ND	<65	ND	<50	ND	6.5-8.	ND	None visible	None visible	Event based	

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions
 Environment Protection Licence No: 20029
 Premise Address: 2 CENTRA PARK STREET, MACKSVILLE NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jun-18
 Monitoring Data for the Month: May-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1 Basin	30-Apr-18	1-May-18	<65	33	50	15.0	6.5 to 8.5	7.5	None visible	None Visible	Event based	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Apr-18
 Monitoring Data for the Month: Jun-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1	20-Jun-18	21-Jun-18	<65	24	50	15.0	6.5 to 8.5	7.4	None visible	None visible	Event based	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions (APS)
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Aug-18
 Monitoring Data for the Month: Jul-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND			<65	ND	50	ND	6.5 to 8.5	ND	None visible	None visible		
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions (APS)
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Sep-18
 Monitoring Data for the Month: Aug-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1	ND	ND	<65	ND	50	ND	6.5 to 8.5	ND	None visible	None visible	Event based	No Discharge (ND)
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions (APS)
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Oct-18
 Monitoring Data for the Month: Sep-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1	10-Sep-18	10-Sep-18	<65	20	50	12.0	6.5 to 8.5	7.7	None visible	None Visible	Monthly and Prior to Discharge	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions (APS)
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Apr-18
 Monitoring Data for the Month: Oct-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1	22-Oct-18	23/10/2018	<65	24	50	12.0	6.5 to 8.5	7.4	None visible	none Visible	Monthly and Prior to Discharge	
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions (APS)
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Dec-18
 Monitoring Data for the Month: Nov-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
ND			<65	ND	50	ND	6.5 to 8.5	ND	None visible	None Visible		No discharge conducted during November
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:

mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen

Environment Protection Licence Monitoring Data

Project Name: Australian Precast Solutions (APS)
 Environment Protection Licence No: 20029
 Premise Address: 2 Centra Park Street, Macksville, NSW 2447
 Link to Public Register on EPA website: <http://www.epa.nsw.gov.au/prpoeoapp/>
 Date Published: 14-Jan-19
 Monitoring Data for the Month: Dec-18
 Reviewed by Project Environmental Manager: Yes

Monitoring Type: Water Discharge Monitoring

Discharge / Monitoring Point	Date Sampled	Date Data Obtained	Turbidity (NTU)		Total Suspended Solids (mg/L)		pH		Oil & Grease		Monitoring Frequency	Comment
			Licence Limit	Results	Licence Limit	Results	Licence Limit	Results	Licence Limit	Results		
W1	06-Dec-19	07-Dec-18	<65	1	50	7.0	6.5 to 8.5	7.6	None visible	None visible		
W1	19-Dec-19	20-Dec-18	<65	61	50	27.0	6.5 to 8.5	7.5	None visible	None visible		
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			
					50		6.5 to 8.5		None visible			

Abbreviations:
 mg/L = Milligrams per litre N/A = Not Applicable NV = None Visible DNS = Did Not Sample
 NTU = Nephelometric Turbidity Unit ND = No Discharge V = Visible pH = potential of Hydrogen